# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **124438** |
| **Area** | | **Date** | **2022-09-01** |
| **Periodic Task** | | **Time In** | **10:30** |
| | | **Time Out** | **11:25** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Larvaciding |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection carried out to the above mentioned location.**
**Larvaciding carried out to canteen floor traps,and surrounding ground level service and perimeter drains for prevention of mosquito breeding.**
**No signs of active termites detected during time of inspection.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature**

**Technician Signature**



ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **125522** |
| **Area** | | **Date** | **2022-09-05** |
| **Periodic Task** | | **Time In** | **12:05** |
| | | **Time Out** | **12:55** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☑ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☑ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☑ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☑ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Abate |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection carried out to the above mentioned location.**
**Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.**
**No signs of active termites detected during time of inspection.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature**

**Technician Signature**



# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **126602** |
| **Area** | | **Date** | **2022-09-08** |
| **Periodic Task** | | **Time In** | **11:25** |
| | | **Time Out** | **12:15** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Larvaciding |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection carried out to the above mentioned location.**
**Larvaciding carried out to canteen floor traps,and surrounding ground level service and perimeter drains for prevention of mosquito breeding.**
**No signs of active termites detected during time of inspection.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature**

**Technician Signature**



ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **127669** |
| **Area** | | **Date** | **2022-09-12** |
| **Periodic Task** | | **Time In** | **09:30** |
| | | **Time Out** | **10:20** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Abate |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection carried out to the above mentioned location.**
**Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.**
**No signs of active termites detected during time of inspection.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature** **Technician Signature**



# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **128770** |
| **Area** | | **Date** | **2022-09-15** |
| **Periodic Task** | | **Time In** | **12:40** |
| | | **Time Out** | **13:20** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Abate |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection carried out to the above mentioned location.**
**Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.**
**No signs of active termites detected during time of inspection.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature** **Technician Signature**



ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **Yishun Town Secondary School** | **Service Sheet No.** | **129861** |
| **Area** | | **Date** | **2022-09-19** |
| **Periodic Task** | | **Time In** | **13:40** |
| | | **Time Out** | **14:30** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☐ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation larviciding |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection for termites and mosquitoes at surrounding areas. No mosquitoes or termites activity found at time of inspection. Larviciding done at surrounding drains and other potential areas for prevention against mosquitoes.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature** **Technician Signature**

# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **130925** |
| **Area** | | **Date** | **2022-09-22** |
| **Periodic Task** | | **Time In** | **13:05** |
| | | **Time Out** | **13:55** |


| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Abate |

| Location |
|---|
| ☑ Yishun Town Secondary School |

Images

| | | | |
|---|---|---|---|
|  |  |  | |
| Notes: | Notes: | Notes: | |

**Remarks** **Inspection carried out to the above mentioned location.**
**Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.**
**No signs of active termites detected during time of inspection.**
**Rooftop inspection carried out..All in order**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature** **Technician Signature**

ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **131988** |
| **Area** | | **Date** | **2022-09-26** |
| **Periodic Task** | | **Time In** | **07:45** |
| | | **Time Out** | **08:30** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Larvaciding |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection carried out to the above mentioned location.**
**Larvaciding carried out to canteen floor traps,and surrounding ground level service and perimeter drains for prevention of mosquito breeding.**
**No signs of active termites detected during time of inspection.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature**

**Technician Signature**



ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

# Pest Control Service Report Summary

| | | | |
|---|---|---|---|
| **Messr** | **S/R Yishun Town Secondary School** | **Service Sheet No.** | **133078** |
| **Area** | | **Date** | **2022-09-29** |
| **Periodic Task** | | **Time In** | **09:40** |
| | | **Time Out** | **10:25** |

| TYPE OF JOB | | | |
|---|---|---|---|
| ☑ SCHEDULE | ☐ SERVICE CALL | ☑ ROUTINE WORKS | ☐ FOLLOW-UP |
| ☐ TIME SERVICE | ☐ OTHERS | | |

| PEST TYPE | | | |
|---|---|---|---|
| ☐ All Pest(Survey) | ☐ Ants | ☐ Bats | ☐ Bees |
| ☐ Beetles | ☐ Birds | ☐ Cats | ☐ Cockroaches |
| ☐ Dogs | ☐ Drywood Termites | ☐ Fleas | ☐ Flies |
| ☐ Hornet | ☐ Lice | ☐ Mites | ☑ Mosquitoes |
| ☐ Rodent | ☐ Snake | ☑ Subterranean Termites | ☐ Wasps |
| ☐ Other Pest(add name) | | | |

| OPERATIONS | | | |
|---|---|---|---|
| ☐ ULV | ☐ Fogging | ☐ Gassing | ☐ Handspray |
| ☐ Misting | ☐ Soil Treatment | ☐ Spot Treatment | ☑ Other Control Operation Abate |

| Location |
|---|
| ☑ Yishun Town Secondary School |

| Images |
|---|

**Remarks** **Inspection carried out to the above mentioned location.**
**Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.Unable to check science labs due to ongoing exams**
**No signs of active termites detected during time of inspection.**

**Name Of Technician** **Faizad Bin Shamsudin**

**Customer Signature**

**Technician Signature**

