Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary School**	**Service Sheet No.**	**87825**
Area		**Date**	**2022-06-02**
Periodic Task		**Time In**	**08:15**
		Time Out	**09:05**

TYPE OF JOB

☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE

☐ All Pest(Survey)	☑ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☑ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☑ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☑ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			



OPERATIONS

☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☑ Spot Treatment	☑ Other Control Operation Abate

Location

☑ Yio Chu Kang Secondary School

Images

			
Notes:	Notes:	Notes:	Notes:

Remarks

Inspection carried out to the above mentioned location.
Due to rain,abate granules applied to internal classroom blocks perimeter drains with stagnant water for mosquito breeding deterrence.
No signs of active termites detected during time of inspection.
Followed up rodent feedback at canteen areas and garden areas..All in order,no rats activities detected.Will continue to monitor and follow up during next service.
***Strongly advise to clear sludge at perimeter drains with air con staging area,for prevention of accumulated water after rain..Also to ensure housekeeping for discarded items.**

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature

Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary School**	**Service Sheet No.**	**90745**
Area		**Date**	**2022-06-06**
Periodic Task		**Time In**	**08:00**
		Time Out	**08:45**

TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Larvaciding, Abate

Location
☑ Yio Chu Kang Secondary School

Images



Notes:



Notes:

Remarks **Inspection carried out to the above mentioned location.**
Larvaciding carried out to all service and perimeter drains for control of mosquito breeding.
Abate granules applied to service drains of internal garden areas drains for prevention measures.
Do take not of Canvas sheet behind ISH block..Potential water stagnation area if not placed properly..

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature

Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary School**	**Service Sheet No.**	**93560**
Area		**Date**	**2022-06-09**
Periodic Task		**Time In**	**07:50**
		Time Out	**08:35**

TYPE OF JOB

☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE

☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			


OPERATIONS

☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate

Location

☑ Yio Chu Kang Secondary School

Images



Notes:



Notes:



Notes:

Remarks **Inspection carried out to the above mentioned location.**
Abate granules applied to all service and perimeter drains for prevention of mosquito breeding..Advise to clear perimeter drains near tag #10,behind canteen of sludge causing water stagnation.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature

ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

Pest Control Service Report Summary

Messr	**Service Report Yio Chu Kang Secondary School**	**Service Sheet No.**	**96386**
Area		**Date**	**2022-06-13**
Periodic Task		**Time In**	**07:50**
		Time Out	**08:20**

TYPE OF JOB			
☑ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☑ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☐ Mosquitoes
☐ Rodent	☐ Snake	☐ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☐ Other Control Operation

Location
☑ Yio Chu Kang Secondary School

Images

Remarks **Carried out Inspection and Treatment at the above mentioned. Treatment was done at the surrounding internal of the school. at the point of service no mosquitoes activity were to be found.**

Name Of Technician **Abdullah Bin Md Kassim**

Customer Signature **Technician Signature**

ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary School**	**Service Sheet No.**	**98492**
Area		**Date**	**2022-06-16**
Periodic Task		**Time In**	**08:50**
		Time Out	**09:30**

TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☑ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☑ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☑ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☑ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate

Location
☑ Yio Chu Kang Secondary School

Images

Remarks **Inspection carried out to the above mentioned location.**
Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**



ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary School**	**Service Sheet No.**	**100615**
Area		**Date**	**2022-06-20**
Periodic Task		**Time In**	**09:00**
		Time Out	**09:40**

TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate

Location
☑ Yio Chu Kang Secondary School

Images

Remarks **Inspection carried out to the above mentioned location.**
Due to rain,abate granules applied to internal garden drains and canteen floor traps for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature



Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary School**	**Service Sheet No.**	**102713**
Area		**Date**	**2022-06-23**
Periodic Task		**Time In**	**08:50**
		Time Out	**09:30**


TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate, Larvaciding

Location
☑ Yio Chu Kang Secondary School

Images

			
Notes:	Notes:	Notes:	

Remarks **Inspection carried out to the above mentioned location.**
Larvaciding and Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.
Strongly advise to clear leaves accumulated along stretch of drains behind Blk G due to water stagnation.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature

ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary**	**Service Sheet No.**	**103829**
Area		**Date**	**2022-06-27**
Periodic Task		**Time In**	**08:55**
		Time Out	**09:50**

TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate

Location
☑ Yio Chu Kang Secondary School

Images

Remarks **Inspection carried out to the above mentioned location.**
Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature



Pest Control Service Report Summary

Messr	**S/R Yio Chu Kang Secondary School**	**Service Sheet No.**	**104931**
Area		**Date**	**2022-06-30**
Periodic Task		**Time In**	**13:40**
		Time Out	**14:25**

TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate

Location
☑ Yio Chu Kang Secondary School

Images

Remarks **Inspection carried out to the above mentioned location.**
Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**

