Pest Control Service Report Summary

Messr	**S/R Christ Church Secondary School**	**Service Sheet No.**	**124502**
Area		**Date**	**2022-09-02**
Periodic Task		**Time In**	**10:35**
		Time Out	**11:20**

TYPE OF JOB			
☑ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate

Location
☑ Christ Church Secondary School

Images

Remarks **Inspection carried out to the above mentioned location.**
Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**

ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

Pest Control Service Report Summary

Messr	**Christ Church Secondary School**	**Service Sheet No.**	**125583**
Area		**Date**	**2022-09-06**
Periodic Task		**Time In**	**15:00**
		Time Out	**15:46**

TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation larviciding

Location
☑ Christ Church Secondary School

Images

Remarks **Inspection for termites and mosquitoes at surrounding areas. No mosquitoes or termites activity found at time of inspection. Glueboards at canteen backlane still intact with no rodent activities Larviciding done at surrounding drains and other potential areas for prevention against mosquitoes.**

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**

Pest Control Service Report Summary

Messr	**S/R Christ Church Secondary School**	**Service Sheet No.**	**126677**
Area		**Date**	**2022-09-09**
Periodic Task		**Time In**	**15:35**
		Time Out	**16:15**


TYPE OF JOB			
☑ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate

Location
☑ Christ Church Secondary School

Images

			
Notes:	Notes:	Notes:	

Remarks **Inspection carried out to the above mentioned location.**
Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**



ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

Pest Control Service Report Summary

Messr	**S/R Christ Church Secondary School**	**Service Sheet No.**	**127721**
Area		**Date**	**2022-09-13**
Periodic Task		**Time In**	**08:35**
		Time Out	**09:15**

TYPE OF JOB			
☑ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Abate, Glueboards x2

Location
☑ Christ Church Secondary School

Images

Remarks **Inspection carried out to the above mentioned location.**
Abate granules applied to all service and perimeter drains for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.
2x glueboards replaced at canteen stalls backlane areas due to previously placed traps caught rats..Will continue to monitor situation.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**

Pest Control Service Report Summary

Messr	**S/R Christ Church Secondary School**	**Service Sheet No.**	**128841**
Area		**Date**	**2022-09-16**
Periodic Task		**Time In**	**16:00**
		Time Out	**16:45**

TYPE OF JOB			
☑ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Larvaciding

Location
☑ Christ Church Secondary School

Images

Remarks **Inspection carried out to the above mentioned location.**
Larvaciding carried out to canteen floor traps,and surrounding ground level service and perimeter drains for prevention of mosquito breeding.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature



Pest Control Service Report Summary

Messr	**Christ Church Secondary School**	**Service Sheet No.**	**129913**
Area		**Date**	**2022-09-20**
Periodic Task		**Time In**	**11:45**
		Time Out	**12:30**

TYPE OF JOB

☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE

☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS

☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation larviciding

Location

☑ Christ Church Secondary School


Images



Notes:



Notes:



Notes:



Notes:



Notes:



Notes:

Remarks **Inspection for termites and mosquitoes at surrounding areas. No mosquitoes or termites activity found at time of inspection. Larviciding done at surrounding drains and other potential areas for prevention against mosquitoes. Placed rodent baits inside burrows at bin centre area. Placed 02 glueboards with baits at canteen backlane.**

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**

Pest Control Service Report Summary

Messr	**S/R Christ Church Secondary School**	**Service Sheet No.**	**130984**
Area		**Date**	**2022-09-23**
Periodic Task		**Time In**	**12:55**
		Time Out	**13:45**

TYPE OF JOB			
☑ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Larvaciding, Abate

Location
☑ Christ Church Secondary School

Images

			
Notes:	Notes:	Notes:	

Remarks **Inspection carried out to the above mentioned it.**
Larvaciding carried out to whole ground level perimeter areas for control of mosquito breeding.
Abate bombs placed at strategic locations of drains nearby G/O & parade square areas for mosquito breeding deterrence.
No signs of active termites detected during time of service.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**

ATL MAINTENANCE PTE LTD

SWIPETASK

Ministry of Education SINGAPORE

Pest Control Service Report Summary

Messr	**Christ Church Secondary School**	**Service Sheet No.**	**132072**
Area		**Date**	**2022-09-27**
Periodic Task		**Time In**	**12:00**
		Time Out	**13:00**

TYPE OF JOB			
☐ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation larviciding

Location
☑ Christ Church Secondary School

Images

Remarks **Larviciding done at surrounding drains and other potential areas for prevention against mosquitoes.**

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature

Technician Signature

Pest Control Service Report Summary

Messr	**S/R Christ Church Secondary School**	**Service Sheet No.**	**133142**
Area		**Date**	**2022-09-30**
Periodic Task		**Time In**	**10:20**
		Time Out	**11:00**


TYPE OF JOB			
☑ SCHEDULE	☐ SERVICE CALL	☑ ROUTINE WORKS	☐ FOLLOW-UP
☐ TIME SERVICE	☐ OTHERS		

PEST TYPE			
☐ All Pest(Survey)	☐ Ants	☐ Bats	☐ Bees
☐ Beetles	☐ Birds	☐ Cats	☐ Cockroaches
☐ Dogs	☐ Drywood Termites	☐ Fleas	☐ Flies
☐ Hornet	☐ Lice	☐ Mites	☑ Mosquitoes
☐ Rodent	☐ Snake	☑ Subterranean Termites	☐ Wasps
☐ Other Pest(add name)			

OPERATIONS			
☐ ULV	☐ Fogging	☐ Gassing	☐ Handspray
☐ Misting	☐ Soil Treatment	☐ Spot Treatment	☑ Other Control Operation Larvaciding

Location
☑ Christ Church Secondary School

Images

			
Notes:	Notes:	Notes:	Notes:

Remarks **Inspection carried out to the above mentioned location.**
Larvaciding carried out to canteen floor traps,and surrounding ground level service and perimeter drains for prevention of mosquito breeding.Science labs no access due to exams in progress.Detected collected water at school field in fallen canvas,potential breeding spot for mosquitos..OMs noted and will follow up accordingly.
No signs of active termites detected during time of inspection.

Name Of Technician **Faizad Bin Shamsudin**

Customer Signature **Technician Signature**